	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	2522710	(measure or measured or measuring or measurement test or tested or testing or detect or detected or detecting or detection or sense or sensed or sensing or sensor or register or registered or registering or registration) near5 (work or piece or workpeice or component or device or apparatus part or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:17
2	BRS	L2	253465	1 near5 (coordinate or (co near2 ordinate) or orientate or orientation or position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:19

8/21/2006, EAST Version: 2.0.3.0

Type	L #	Hits	Search Text	DBs	Time Stamp
3	BRS	L3	1079583	(detect or detected or detecting or detection or determine or determining or determination or determined or judge or judged or judging or judgment or judgement or id or identity or identify or identification or identified or identifying) near5 (orientate or orientation or position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:19
4	BRS	L4	11286	3 near5 (model or simulation or description)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:20

Type	L #	Hits	Search Text	DBs	Time Stamp
BRS	L5	652344	(detect or detected or detecting or detection or determine or determining or determination or determined or judge or judged or judging or judgment or judgement or calculate or calculated or calculation or calculating) near5 (error or deviate or deviated or deviating or deviation or difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:20
BRS	L6	6688	1 same 5 same (model or simulation or description)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:20

8/21/2006, EAST Version: 2.0.3.0

Type	L #	Hits	Search Text	DBs	Time Stamp
7 BRS	L7	1354046	(rotate or rotated or rotating or rotation or convert or converted or converting or conversion or translate or translated or translating or translation or change or changed or changing or alter or altered or altering or alteration or modify or modified or modifying or modification) near5 (position or positioned or positioning or align or aligned or aligning or alignment or match or matched or matching or correlate or correlated or correlating or correlation or register or registered or registering or registration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:20
8 BRS	L8	86518	7 same 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:21

8/21/2006, EAST Version: 2.0.3.0

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	66	(1 or 2) and 4 and 6 and 8 *Scanned Ti, Ab, Kwic all*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:22
10	BRS	L10	328	(((@pd>="19470101" and @pd<="19710101") and (700/71 or 700/159 or 700/160 or 700/161 or 700/182 or 700/193 or 700/194 or 702/85 or 702/94 or 702/95 or 702/150 or 901/2 or 901/14 or 901/15 or 901/16 or 901/17 or 901/18 or 901/46 or 901/49 or 901/50).ccls.) *Scanned Ti, all*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 09:22

L10 results

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
1	US 2927258 A	19600301	BERNARD LIPPEL	318/39	242/DIG.1; 318/569; 318/578; 318/604; 318/632; 340/825.23; 409/79; 700/159; 74/7R; 901/9	8
2	US 3543910 A	19701201	MARTIN PAUL S et al.	414/728	198/341.08; 198/468.2; 414/730; 414/735; 700/251; 901/18; 901/22; 901/26; 901/29; 901/5; 901/7; 901/9	24

8/21/2006, EAST Version: 2.0.3.0

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
1	US 20030085891 A1	20030508	Lyons, Alexander et al.	345/420		30
2	JP 2003211376 A	20030729				10
3	US 6697761 B2	20040224	Akatsuka; Yuichiro et al.	702/151	702/150; 702/152; 702/153	32
4	US 20050273202 A1	20051208	Bischoff, Rainer	700/263		9
5	US 20060025890 A1	20060202	Nagatsuka; Yoshiharu et al.	700/253	700/245	16

8/21/2006, EAST Version: 2.0.3.0

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	54	("6134506" or "2002038855" or "2003211376" or "2005017250" or "2006010793" or "2004009119" or "4819184" or "6205839" or "6230079" or "6301988" or "6095011" or "6336374" or "6540471" or "6343243" or "6218801" or "6425303" or "6563281" or "6412363" or "6418774" or "6477445" or "6941192" or "6974297" or "6836702" or "6822412" or "7011489").pn. *cited prior art and*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 11:27 *related subjectmatter*
12	BRS	L12	2	("6509576").pn. *cited prior art*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 11:27

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
1	US 6134506 A	20001017	Rosenberg; Louis B. et al.	702/95	33/502; 33/503; 33/504; 700/195; 702/152	38
2	JP 2003211376 A	20030729	NAGATA, HIDEO et al.			10
3	JP 2003211376 A	20030729				10

L12 results

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
1	US 20020038855 A	20020404	HWANG, W et al.			10
2	US 6509576 B2	20030121	Woo-Dong; Hwang	250/559.3	700/259; 901/3; 901/47	10

Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS L1	2522710	(measure or measured or measuring or measurement test or tested or testing or detect or detected or detecting or detection or sense or sensed or sensing or sensor or register or registered or registering or registration) near5 (work or piece or workpeice or component or device or apparatus part or object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 14:10
2	BRS L2	110430	(model or simulation or description or representation) near5 (error or deviate or deviated or deviating or deviation or difference or variation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 14:10
3	BRS L3	4093	L1 same L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 14:10

Type	L #	Hits	Search Text	DBs	Time Stamp
BRS	L4	1799602	(rotate or rotated or rotating or rotation or convert or converted or converting or conversion or translate or translated or translating or translation or change or changed or changing or alter or altered or altering or alteration or modify or modified or modifying or modification) near5 (command or commanded or commanding or instruction or instruct or instructed or instructing or control or controlled or controlling or language or protocol or application or program or level or setting or code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 14:10
BRS	L5	11928	L1 same L4 same (model or simulation or description or representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 14:10

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	22601	L1 same L4 same (error or deviate or deviated or deviating or deviation or difference or variation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 14:10
7	BRS	L7	436	L1 and L3 and (L5 or L6) *Scanned Ti, Ab, Kwic all*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 14:10
8	BRS	L8	10	((@pd>="19470101" and @pd<="19710101") and (703/1 or 703/2).ccls.) *Scanned Ti all*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2006/08/21 14:13

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
1	US 3422325 A	19690114	GERBER HEINZ JOSEPH et al.	318/574	318/604; 318/632	19
2	US 3538315 A	19701103	REUTELER JOHANN F	318/574	318/571; 700/187; 700/189; 700/72; 700/89	30
3	US 3543910 A	19701201	MARTIN PAUL S et al.	414/728	198/341.08; 198/468.2; 414/730; 414/735; 700/251; 901/18; 901/22; 901/26; 901/29; 901/5; 901/7; 901/9	24
4	US 3551656 A	19701229	WOHLFEIL JACK A	318/574	318/572; 318/592; 318/594; 318/603; 318/632; 318/660; 340/146.2	79

L7 results

	Document ID	Issue Date	Inventor	Current OR	Current XRef	Pages
5	US 4670849 A	19870602	Okada; Takushi et al.	700/87	318/632; 700/186; 700/252; 700/253; 700/254; 708/442; 901/15; 901/3	18
6	US 5352961 A	19941004	Tajima; Fujio et al.	318/561	318/560; 318/603; 318/615; 318/7; 360/73.09	19
7	US 5497059 A	19960305	Tajima; Fujio et al.	318/561	318/560; 318/603; 318/609	18
8	US 6256546 B1	20010703	Graham; Michael Evans et al.	700/30	700/29	12
9	JP 2003211376 A	20030729				10
10	US 6615102 B1	20030902	Morfino; Giuseppe	700/173	700/166	10

8/21/2006, EAST Version: 2.0.3.0